



NET VET Pénzügyi, Állategészségügyi, Kereskedelmi és Szolgáltató Kft.

Telefon: Nógrádi M. utca 17. - 52/531-663 (9-19 óra), Lehel utca 20. - 52/501-694 (9-16 óra)

E-mail cím: Nógrádi M. utca 17. - netvetkft@gmail.com, Lehel utca 20. - netvetlehel@gmail.com

Időpont-egyeztetés: Nógrádi M. utca 17. - netvetkftidopont@gmail.com, Lehel utca 20. - netvetlehel@gmail.com

STATEMENT AND PROCURATION

As the owner:

Name: _____ **Phone No.:** _____

Adress: _____ **E-mail:** _____

of the following animal:

Name: _____ **Species:** _____ **Breed:** _____

Sex: _____ **Age:** _____ **Colour:** _____

I was informed, I understood and accepted the necessity and the possible risks of the following procedure:

I was informed about the diagnostic possibilities that can lower the named risks, and according to my knowledge, my pet does not have any hidden illnesses (for example haemophilia, or allergies) that could alter the outcome of the procedure.

IMPORTANT INFORMATIONS

- You should not feed your animal 4-6 hours prior anaesthesia!
- You should inform your veterinarian about earlier illnesses, and operations of your pet!
- After anaesthesia, you should keep your pet in a closed, room-temperature place until it reaches full consciousness.
- Don't feed or drink your pet until it reaches full consciousness due to risk of aspiration!
- In the waking period vocalization, excitation, salivation and subtle shaking is possible.
- The waking time can vary between animals according to their breed, age, and general condition.
- After some operations, lethargy and loss of appetite is possible on the first couple of days.
- You should protect the wounds of your pet until sutures are removed, with the help of a collar, or post operative dress unless your veterinarian tells you otherwise.
- In case you notice abnormal symptoms (for example discharge, bleeding, or swelling of the wound, fever, unexpected lethargy, etc.), let your veterinarian know, and if necessary, show up for a control examination!

***I ask for an Idexx heartworm snap test performed from blood before anaesthesia:
which has an additional cost of 9500 HUF***

YES

NO

Debrecen,

Signature: